IRIS ANALYTICAL

VISCOMETERS and RHEOMETERS





cs@irisanalytical.com | +1 706 760 4500 | www.irisanalytical.com


Digital Viscosity Meter IVM-900 Series is used to measure the viscosity of a fluid with accurate viscosity reading in products such as paints, coatings, cosmetics, inks, paper pulp, food, oil, starch, solvent-based glue, latex, and other biochemical products, and as asphalt, wax, hot melt adhesives, etc.(high-temperature).

- Build-in 5 inch color touch-screen display
- Comes with Linux system and ARM technology for quick and easy testing
- Automatic calibrations provide accurate test value and minimize error
- Suitable for measuring dynamic viscosity and kinematic viscosity with temperature, shear rate, shear stress, the measurement function
- CE certified
- Build-in graphic display, alarm function, automatic scanning,
- With frontal level adjustment
- Use in paints, coatings, cosmetics, inks, paper pulp, food, oil, starch, solvent-based glue, latex, and other biochemical products, and some items need for high-temperature melting, such as asphalt, wax, hot melt adhesives, etc

Optional Accessories

- Temperature probe
- Thermostatic water bath
- Thermostat cup
- Printer

IRIS ANALYTICAL



IRIS Analytical Inc.

cs@irisanalytical.com +1 706 760 4500 www.irisanalytical.com