Top-loading Balances 0.1g
IBL-2100(110V)



Top-loading Balances 0.1g IBL-2100 feature weighing capacities of 200 g, and readabilities of 0.1g/0.01g. Some applications include weighing, counting, check weighing, weighing under unstable conditions, peek hold and percentage (%).

Iris top-loading balances are designed for routine weighing applications in your workplace, offering accuracy and repeatability during essential weighing applications in education, laboratory and, industrial sector. It delivers competitive performance at an economical price, featuring RS232 connectivity for easy communication, and a backlit display and a simple interface for uncomplicated operation, these balances are perfectly designed for your workplace.

Standard features include Basic functionality for routine weighing applications. Equipped with three essential weighing modes, RS232 connectivity for data transfer and storage and internal calibration (in selected models) making them ideal for routine weighing applications.

Designed for uncomplicated operation with easy-to-use display and interface Equipped with an easy-to-read, bright backlit display and a simple user interface, they are incredibly easy to operate, with almost no training required.

Smart design and durable construction Iris top pan balances have a small footprint which saves on benchtop space while providing a large weighing surface. They are durably constructed, and feature a stainless-steel pan to withstand day-to-day use in the workplace.

Technical Specification:

Model	IBL-2100(110V)
Capacity	200 g
Repeatability	±0.2g/±0.02g
Resolution	0.1g/0.01g
Display	LED
Pan Dimensions	125 mm
Construction Material	Aluminum Alloy die cast base and mains and Stainless steel pan
Functions	Checking Weighing, piece counting function
Stabilization Time	1.5 seconds
Dimensions	290x1850x80 mm
Net Weight	1800 g
Electrical Requirements	110V
Catalogue No.	680950501

Technical Data:

Model	IBL-2100		IBL-2200		IBL-2300		IBL-2400	
Capacity	200 g		600 g		1000 g		1200 g	
Resolution	0.1g/0.01g							
Repeatability	±0.2g/±0.02g							
Display	LED							
Pan Dimension	125 mm							
Material	Aluminum Alloy die cast base and mains and Stainless steel pan							
Measuring Parameters	Checking Weighing, piece counting function							
Stabilization Time	1.5 seconds							
Dimension	290x1850x80 mm							
Weight	1800 g							
Electrical Requirement	110V	240V AC	110V	240V AC		110V	240V AC	110V	240V AC
Catalogue No.	680950501	680950502	680951001	680951002	680951501		680951502	680952001	680952002



Iris Analytical Ltd.

66 W Flagler St #900 Miami, Florida 33130 United States